



industries3r.com

Danville office

Industries 3R inc.
55, Road 116 West
Danville (Quebec)
Canada J0A 1A0

Telephone: (819) 839-2793
Fax: (819) 839-2797
Toll-free: (800) 567-2728
Email: info@industries3r.com

Montreal office

Industries 3R inc.
1479, Begin street
Ville St-Laurent (Quebec)
Canada H4R 1V8

Telephone: (514) 333-3971
Fax: (514) 333-7224
Email: info@industries3r.com

3R902

FELT

The grey felt 3R902 is made from wool and synthetic fibers. It is available in rolls, strips and customized dye-cut forms.



APPLICATIONS

It can be used in the same applications as the white 3R901 felt but in less severe conditions.

SPECIFICATIONS

Technical Data

Composition	Wool: 80% min.
Density	1" thick: 85 lbs/vg²
Color	Grey
Specific Gravity	0.330
Temperature	-60°C to 90°C (-80°F to 200°F)
Absorption by weight (1.0 Sp. Gr. Liquid)	>190%
Abrasion Resistance	Excellent
Resistance to dilute acids	Excellent
Resistance, Concentrated	Fair
Resistance to dilute alkalis	Fair
Alkali Resist., Concentrated	Poor
Resistance to solvents & oils	Excellent
Thickness	1/8", 3/16", 1/4", 3/8", 1/2", 3/4", 1"

N.B. The information presented may differ from practice. We recommend conducting tests according to the conditions of use. We accept no responsibility for results obtained by the application of this information or the safety and suitability of our products. The data is subject to certain variations without notice.

