



SAFETY DATA SHEET

INDUSTRIES 3R

SECTION 1. IDENTIFICATION

IDENTITY:

Part Number:

3R610 – 3R1220

Identity:

Amorphous silica fabric

Description:

Silica fabric

SUPPLIER :**Industries 3R Inc.**

55, route 116 Ouest

Danville (Québec) J0A 1A0

Tel: 819-839-2793

Fax: 819-839-2797

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture**GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):**

Health, Skin corrosion/irritation, 2

Health, Serious Eye Damage/Eye Irritation, 2 B

Health, Specific target organ toxicity - Single exposure, 3

Health, Respiratory or skin sensitization, 1 Skin

GHS Label elements, including precautionary statements**GHS Signal Word: WARNING****GHS Hazard Pictograms:****GHS Hazard Statements:**

H315 - Causes skin irritation

H320 - Causes eye irritation

H335 - May cause respiratory irritation

H317 - May cause an allergic skin reaction

GHS Precautionary Statements:

P264 - Wash _ thoroughly after handling.

P333+313 - If skin irritation or a rash occurs: Get medical advice/attention.

P337 - If eye irritation persists: _

P337+313 - Get medical advice/attention.

Hazards not otherwise classified (HNOC) or not covered by GHS**Route of Entry:** This material may enter the body through inhalation of nuisance dust.**Target Organs:** Respiratory system**Inhalation:** Sore, raspy throat**Skin Contact:** Redness and possible rash; itching**Eye Contact:** Itching and redness

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Cas#	%	Chemical Name
7631-86-9		Silica fabric

Silica fabric (CAS 7631-86-9)

Exposure Limits: OSHA PEL 15 mg/m3 (total), 5 mg/m3 (respirable). ACGIH TLV 1 f/cc

SECTION 4. FIRST AID MEASURES

Inhalation:	Remove person to fresh air. If condition persists, seek medical attention.
Skin Contact:	Rinse with copious quantities of cool water. If rash or itching persists, seek medical attention.
Eye Contact:	Rinse with water. Do not rub eyes. Seek medical attention.
Ingestion:	Not applicable.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point (Method Used): >250 C by TOC Flammable Limits

LEL: N/A UEL: N/A

Extinguishing Media: Water, carbon dioxide, or dry chemical

Special Fire Fighting Procedures: Thermal decomposition of fiber coating may produce an irritating mixture of smoke and fumes.

Unusual Fire and Explosion Hazards: None

SECTION 6. ACCIDENTAL RELEASE MEASURES

Material is a solid in roll form. If accidentally released, rewind material back onto roll.

SECTION 7. HANDLING AND STORAGE

Handling Precautions:	Use adequate material handling equipment.
Storage Requirements:	Store in dry place. Use may be at temperature extremes based on product data, but storage should be at ambient temperature.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Local exhaust; dust collection
Personal Protective Equipment:	HMS PP, B Safety Glasses, Gloves Safety glasses; cotton gloves; long sleeve clothing

Wash thoroughly with soap and water after handling

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Tan Fabric	Odor:	No odor
Physical State:	Solid	Solubility:	Negligible
Spec Grav./Density:	2.2	Freezing/Melting Pt.:	> 3000° F
Boiling Point:	N/A	Vapor Density:	N/A
Vapor Pressure:	N/A		
pH:	N/A		

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability:	Material is stable.
Conditions to Avoid:	None known.
Materials to Avoid:	Strong oxidizing agents.
Hazardous Decomposition:	Carbon monoxide; carbon dioxide
Hazardous Polymerization:	Will Not Occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Direct contact with fiberglass materials or exposure to airborne fiberglass dust may irritate the skin, eyes, nose and throat. Fiberglass can cause itching due to mechanical irritation from the fibers. This is not an allergic reaction to the material. Breathing fibers may irritate the airways resulting in coughing and a scratchy throat. Some people are sensitive to the fibers, while others are not.

SECTION 12. ECOLOGICAL INFORMATION

No known hazards except for airborne fibers caused by nuisance dust. 10 milligrams per cubic meter for fiber diameters less than 7 microns.

SECTION 13. DISPOSAL CONSIDERATIONS

Incineration preferred in a federal, state, or local approved facility.

SECTION 14. TRANSPORT INFORMATION

None special required.

SECTION 15. REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Silica fabric (7631-86-9) [n/a%] MASS, NJHS, PA, TSCA

Regulatory CODE Descriptions


MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
PA = PA Right-To-Know List of Hazardous Substances
TSCA = Toxic Substances Control Act

SECTION 16. OTHER INFORMATION

NFPA: Health = 1, Fire = 0, Reactivity = 0, Specific Hazard = None

HMIS III: Health = 1, Fire = 0, Physical Hazard = 0

HMIS PPE: B - Safety Glasses, Gloves



Les informations fournies dans cette fiche et la sécurité des données est basée sur nos connaissances actuelles. Bien que les informations et les recommandations du présent document sont considérées comme exactes, Industries 3R ne prend aucune garantie à cet égard et décline toute responsabilité en se fondant sur celle-ci. Nous vous recommandons de tester en fonction des conditions locales. Les spécifications sont sujettes à modification sans préavis.