



INDUSTRIES 3R

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION


IDENTITY:	
Part Number:	3R856
Identity:	Fluoroelastomer Sheet
Description:	Viton rubber
SUPPLIER :	Industries 3R Inc. 55, route 116 Ouest Danville (Québec) J0A 1A0 Tel: 819-839-2793 Fax: 819-839-2797

SECTION 2. HAZARDS IDENTIFICATION

2. HAZARDOUS IDENTIFICATION

Route of Entry: This material may enter the body through inhalation of nuisance dust.
 Target Organs: Respiratory system
 Inhalation: Sore, raspy throat
 Skin Contact: Redness and possible rash; itching
 Eye Contact: Itching & Redness
 Ingestion: N/A

NFPA: Health = 3, Fire = 0, Reactivity = 0
 HMIS III: H2/F0/PH0



HMIS III	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARDS	0
PERSONAL PROTECTION	Safety Glasses, Gloves

PERSONAL PROTECTION INDEX	
A	SP2
B	SP2 +
C	SP2 + +
D	SP2 + + +
E	SP2 + + + +
F	SP2 + + + + +
G	SP2 + + + + + +
H	SP2 + + + + + + +
I	SP2 + + + + + + + +
J	SP2 + + + + + + + + +
K	SP2 + + + + + + + + + +
X	Contact your supervisor or S.O.A. for "SPECIAL" handling instructions.

GHS Signal Word:

WARNING

GHS Hazard Pictograms:

**GHS Classifications:**

Health, Skin corrosion/irritation, 3

Health, Respiratory or skin sensitization, 1 Skin

GHS Precautionary Statements:

P264 - Wash _ thoroughly after handling.

P333+313 - If skin irritation or a rash occurs: Get medical advice/attention.

GHS Phrases:

H316 - Causes mild skin irritation

H317 - May cause an allergic skin reaction

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**Ingredients:** Compounded fluoroelastomer rubber**SECTION 4. FIRST AID MEASURES****Inhalation:** Remove person to fresh air. If condition persists, seek medical attention.**Skin Contact:** Rinse with copiuos amounts of cool water. If rash persists, seek medical help.**Eye Contact:** Rinse with water. Do not rub eyes. Seek medical attention.**Ingestion:** Not Applicable.**SECTION 5. FIRE FIGHTING MEASURES**

Flash Point (Method Used): >250 C by TOC Flammable Limits

LEL: N/A UEL: N/A

Extinguishing Media: Water, Carbon Dioxide, or dry chemical

Special Fire Fighting Procedures: Thermal decomposition of fiber coating may produce an irritating mixture of smoke and fumes.

Unusual Fire & Explosion Hazards: None

SECTION 6. ACCIDENTAL RELEASE MEASURES

Material is a solid in roll form. If accidently released, rewind material back onto roll.

SECTION 7. HANDLING AND STORAGE**Handling Precautions:** Use adequate material handling equipment.**Storage Requirements:** Store in dry place. Use may be at temperature extremes based on product data, but storage should be at ambient temperature.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Local exhaust, dust collection
Personal Protective Equip: HMIS PP, B | Safety Glasses, Gloves, Safety glasses, cotton gloves; long sleeve clothing.

Wash thoroughly with soap and water after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Black rubber	Odor:	Typical Rubber Odor
Physical State:	Solid	Solubility:	Negligible
Spec Grav./Density:	1.88	Freezing Pt:	N/A
Boiling Point:	N/A	Melting Pt:	N/A
Vapor Pressure:	N/A	Vapor Dens:	N/A
Ph:	N/A		

SECTION 10. STABILITY AND REACTIVITY

Stability:	Material is stable.
Conditions to Avoid:	None known.
Materials to Avoid:	Strong oxidizing agents.
Hazardous Decomposition:	Carbon monoxide, carbon dioxide, Hydrogen fluoride
Hazardous Polymerization:	Will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

None Known

SECTION 12. ECOLOGICAL INFORMATION

No known hazards except for airborne fibers caused by nuisance dust. 10 milligrams per cubic meter for fiber diameters less than 7 microns.

SECTION 13. DISPOSAL CONSIDERATIONS

Incineration preferred in a federal, state, or local approved facility.

SECTION 14. TRANSPORT INFORMATION

Not hazardous product according to these transport classifications.

SECTION 15. REGULATORY INFORMATION

None known.

SECTION 16. OTHER INFORMATION

DISCLAIMER – The information provided in this Safety Data Sheet is based on our current knowledge. While the information and recommendations set forth herein are believed to be accurate, Industries 3R takes no warranty with respect thereto and disclaims all liability in reliance thereon. We recommend testing according to local conditions. The specifications are subject to change without notice.