

industries3r.com

Danville office

Industries 3R inc. 55, Road 116 West Danville (Quebec) Canada J0A 1A0 Telephone: (819) 839-2793 Fax: (819) 839-2797 Toll-free: (800) 567-2728 Email: info@industries3r.com

Montreal office

Industries 3R inc. 1479, Begin street Ville St-Laurent (Quebec) Canada H4R 1V8 Telephone: (514) 333-3971 Fax: (514) 333-7224 Email: info@industries3r.com

TXP013 À TXP050

KNITTED ROPES

These ropes and tapes are fabricated from first-class fiberglass yarn. They are easily cut and do not fray, two advantages that offer more stability and flexibility permitting an easy fit to the multiple required applications. Resistant to a wide number of chemical substances, they are available in white color. An adhesive can be applied on the tapes to facilitate installation to fireplace and stove doors and windows. These ropes withstand temperatures up to 1000 ° F.



APPLICATIONS

Our knitted ropes and tapes can be used for stove and fireplace doors, boilers, industrial or residential furnaces, «Tadpole» Gaskets, pipe insulating lagging, ship and shipyard.

They are offered in rolls of 100 feet or boxes of 1000 feet, except for the TXP022 to TXP026 which are available in rolls of 50 feet. To facilitate their installation, a sodium silicate based glue is available in 2 ounce or 1 liter containers.

SPECIFICATIONS

Technical Data

Ropes						
TXP 013						
Diameter	3/16"					
• Density Gr/vg	17					
TXP 014						
Diameter	1/4"					
Density Gr/vg	18					
TXP 050						
Diameter	5/16"					
Density Gr/vg	27					
TXP 016						
Diameter	3/8"					

• Density Gr/vg	54
TXP 018	
Diameter	1/2"
Density Gr/vg	66
TXP 019	
Diameter	1/2"
Density Gr/vg	98
TXP 020	
Diameter	5/8"
Density Gr/vg	131
TXP 022	·
Diameter	3/4"
Density Gr/vg	160
TXP 0222	·
Diameter	3/4"
Density Gr/vg	202
TXP 026	
Diameter	1"
Density Gr/vg	-
Tapes	
TXP 017	
• Dimensions	1/8" x 3/4"
TXP 017B	
• Dimensions	1/8" x 3/4" Adhesive on back side 3/4"
TXP 033	
• Dimensions	3/32" x 1/2" «U»
TXP 036	
• Dimensions	1/8" x 9/16" «U»
TXP 037	
• Dimensions	1/8" x 1" «U»
TXP 039	
• Dimensions	3/32" x 1/2" «U» Adhesive center
TXP 039B	•
Dimensions	3/32" x 1/2" «U» Adhesive on back side 3/4"

N.B. data	The info	ormation, de ect to some	etails and v variations	/alues indic w ithout no	ated are to	the best o	of our know	ledge. We	recommend	to conduct	tests accord	ling to local c	conditions. The